

Application/Control No.	Applicant(s)/Patent under Reexamination
09/633,507	ZAHORJAN ET AL.
Examiner	Art Unit

2623

					IS	SSUE CL	ASSIFI	CATI	ON								
			ORIG	SINAL		CROSS REFERENCE(S)											
CLASS SUBCLASS					CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)											
725 97																	
INTERNATIONAL CLASSIFICATION					in the second				is:								
Н	0	4	N	7/173							-	N.					
				1													
				1.	-					. 1							
				1						1	,						
				1			/	1									
		(As	sistan	t Examiner) (Dat	e)	1/h	h	_	Total Claims Allowed: 9								
6				ermで〜 S nents Examiner)	12/06 (Date)	VIVEK SI	RIVASTAV EXAMINE y Examiner)	A ¢	O Print (O.G. Print Fig.							
	(LC	yaıı	iiəli üli	iento Examinei)	(Date)	V			4A								

Vivek Srivastava

	laims	s renumbered in the same order as presented by applicant										☐ CPA		 ☐ T.D.		☐ R.1.47		
Final	Original		Final	Original		Final	Original		Final	Original		Final	Original	Final	Original		Final	Original
1	1			31			61			91			121		151			181
2	2			32			62			92			122		152			182
3	3			33			63			93			123		153			183
4	4			34			64]		94			124		154			184
5	5			35			65]		95			125		155			185
6	6			36			66]		96			126		156			186
7	7			37			67]		97			127		157			187
8	8			38			68			98			128		158			188
	9			39			69			99			129		159			189
	10			40			70			100	i		130		160			190
	11			41			71			101			131		161			191
	12			42			72			102			132		162			192
	13			43			73]		103			133		163			193
	14			44			74			104			134		164			194
	15			45			75			105			135		165			195
	16_			46			76			106			136		166			196
9	17			47			77			107			137		167			197
	18			48			78			108			138		168			198
	19			49			79			109			139		169			199
	20			50			80			110			140		170			200
L	21_			51			81			111			141		171			201
	22			52			82]		112			142		172			202
	23	İ		53			83			113			143		173			203
	24			_54			84			114			144		174			204
	25			55			85			115			145		175			205
	26			56			86			116			146		176			206
	27			57			87]		117			147		177			207
	28			58			88			118			148		178			208
	29			59			89			119			149		179			209
	30			60			90			120			150		180			210